

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	160	(712/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 14:59
L2	236	(712/22).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 14:59
L3	0	(double adj1 buffer\$3) near4 SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 14:59
L4	18	(double adj1 buffer\$3) with SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 15:00
L6	4	SIMD and ((shar\$3 near4 buffer\$3) with (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:10
L7	8	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) and ((shar\$3 near4 buffer\$3) same (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:12
L8	1	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (data adj1 buffer) near4 ((data adj1 transfer) or (data adj1 management) or DMA or (bus\$2 near4 manaagement))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:14
L9	2	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with (data adj1 buffer) with ((data adj1 transfer) or (data adj1 management) or DMA or (bus\$2 near4 manaagement))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:14
L10	6	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) same (data adj1 buffer) same ((data adj1 transfer) or (data adj1 management) or DMA or (bus\$2 near4 manaagement))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:15
L11	2	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (data adj1 buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:15

L12	10	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (data near4 buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:16
L13	3	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (input near4 buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:25
L14	10	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with (input near4 buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:26
L15	19	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) same (input near4 buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:27
L16	34	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with (data adj1 input)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:31
L17	47	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with (data near4 buffer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 16:31
L19	5	port near4 (concurrent near4 (input and output))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 17:51
L20	1	("20020184471").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 19:23
L21	503	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 19:23
S1	153	(712/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:32
S2	229	(712/22).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:32
S3	1	SIMD near4 (data adj1 buffer) near4 (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:38

S4	1	(SIMD near4 (data adj1 buffer)) with (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:34
S5	1	(SIMD near4 (data adj1 buffer)) same (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:34
S6	1	(SIMD with (data adj1 buffer)) with (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:35
S7	1	(SIMD with (data adj1 buffer)) same (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:35
S8	1	(SIMD same (data adj1 buffer)) same (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:35
S9	1	(SIMD near4 buffer) near4 (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:35
S10	1	(SIMD near4 buffer) with (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:35
S11	1	(SIMD near4 buffer) same (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36
S12	1	(SIMD near4 buffer) near4 (bit near4 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36
S13	1	(SIMD near4 buffer) with (bit near4 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36
S14	1	(SIMD near4 buffer) same (bit near4 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36
S15	1	(SIMD with buffer) same (bit near4 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36

S16	1	(SIMD same buffer) same (bit near4 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:36
S17	2	SIMD near4 (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:37
S18	2	SIMD with (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:37
S19	3	SIMD same (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:37
S20	1	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (data adj1 buffer) near4 (bit adj1 extension)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 13:29
S21	1	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) near4 (data adj1 buffer) near4 (control adj1 unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 14:04
S22	1	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with ((data adj1 buffer) near4 (control adj1 unit\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 14:05
S23	1	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) same ((data adj1 buffer) near4 (control adj1 unit\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 14:05
S24	10	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) same ((data adj1 buffer) near4 control\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 17:07
S25	2	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) with ((data adj1 buffer) near4 control\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 17:07
S26	0	(double adj1 buffer\$3) near4 SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:32
S27	17	(double adj1 buffer\$3) with SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:33

S28	23	(double adj1 buffer\$3) same SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:34
S29	144	(double adj1 buffer\$3) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:39
S30	0	((double adj1 buffer\$3) near4 concurrent\$3) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:30
S31	4	((double adj1 buffer\$3) near4 port\$1) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 14:25
S32	32	((double adj1 buffer\$3) with port\$1) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 15:04
S33	48	((double adj1 buffer\$3) same port\$1) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 16:08
S34	58	(double adj1 buffer\$3) near4 (concurrent\$3 or simultaneous\$2 or same?time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 16:08
S35	30	SIMD and "Wilkinson".in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:08
S36	1	SIMD near4 ((data adj1 buffer) near4 (simultaneous\$2 or concurrent\$2 or same?time))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:08
S37	3	((double adj1 buffer\$3) near4 (concurrent\$3 or simultaneous\$3 or same?time)) and SIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:34
S38	0	SIMD near4 (circular adj1 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:38
S39	0	SIMD near4 (shared adj1 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:46

S40	0	SIMD with (shar\$3 adj1 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:50
S41	0	SIMD with (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:50
S42	0	SIMD same (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:50
S43	80	SIMD and (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:50
S44	0	SIMD and ((shar\$3 near4 buffer\$3) near4 (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:52
S45	4	SIMD and ((shar\$3 near4 buffer\$3) with (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:53
S46	4	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) and ((shar\$3 near4 buffer\$3) with (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 15:53
S47	7	(SIMD or (single adj1 instruction adj1 multiple adj1 data)) and ((shar\$3 near4 buffer\$3) same (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 16:03
S48	0	(parallel adj1 process\$3) near4 ((shar\$3 near4 buffer\$3) near4 (simultaneous\$2 or concurrent\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 16:04
S49	1	(parallel adj1 process\$3) near4 (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 16:04
S50	5	(parallel adj1 process\$3) with (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 16:05
S51	21	(parallel adj1 process\$3) same (shar\$3 near4 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 16:05